


1. Please select wire length as below.
2. Please complete all the columns.



Please "V"	Application	Wire group	Spec (mm)		
			L1	L2	L3
	RTP	a	300	100	600
		b	600	100	600
	Reflow	c	0	300	500
		d	1000	0	0
		e	6000	0	0
	Oven	f	500	300	2500
		g	1000	300	2000
		h	2000	300	2000
		i	300	150	1000
	CVD/PVD	j	700	400	1000
		k	150	200	2000
	Coater	l	2000	200	2000
		m	500	100	1000
	Hot plate	n	1500	0	0

**Inquiry :**

- 1 Company : \_\_\_\_\_
- 2 Requirement Date : \_\_\_\_\_
- 3 Quantity : \_\_\_\_\_ pcs

**Specification :**

- 1 Silicon Wafer
- 2 Thermocouple Type : K type
- 3 Thermocouple Wire Diameter 0.127mm
- 4 Wafer Size : \_\_\_\_\_ inch
- 5 Sensor Number : \_\_\_\_\_
- 6 Wire Termination Type : Mini Plug D-sub

**Process Recipe :**

- 1 Target Temp : \_\_\_\_\_ °C
- 2 Ramp Up Speed : \_\_\_\_\_ °C/Sec
- 3 Steady Still Time : \_\_\_\_\_ Sec
- 4 Vacuum : \_\_\_\_\_ mTorr NA
- 5 Process Gas : \_\_\_\_\_ NA

**Process Application :**

- 1 Tool Supplier : \_\_\_\_\_
- 2 Tool Model : \_\_\_\_\_
- 3 Numbers of time : \_\_\_\_\_ Times/Week